



TS-040S

Stainless Steel Bulb and Capillary
SPDT Changeover Contacts 16A 240V
Comes complete with Knob and Bezel
Range:- 0°C to 40°C
Bulb size:- 5.8mm x 126mm
Capillary:- 1000mm
Differential:- 4°C ± 2°C



TS-050S

Stainless Steel Bulb and Capillary
SPDT Changeover Contacts 16A 240V
Comes complete with Knob and Bezel
Range:- 0°C to 50°C
Bulb size:- 5.8mm x 126mm
Capillary:- 1000mm
Differential:- 4°C ± 2°C




TS-120S

Stainless Steel Bulb and Capillary
SPDT Changeover Contacts 16A 240V
Comes complete with Knob and Bezel
Range:- 0°C to 120°C
Bulb size:- 5mm x 104mm
Capillary:- 1000mm
Differential:- 4°C ± 2°C




TS-200S

Stainless Steel Bulb and Capillary
SPDT Changeover Contacts 16A 240V
Comes complete with Knob and Bezel
Range:- 0°C to 210°C
Bulb size:- 5mm x 67mm
Capillary:- 1000mm
Differential:- 10°C ± 5°C



TS-320S

Stainless Steel Bulb and Capillary
SPDT Changeover Contacts 16A 240V
Comes complete with Knob and Bezel
Range:- 50°C to 320°C
Bulb size:- 3mm x 179mm
Capillary:- 1000mm
Differential:- 10°C ± 5°C



DIFFERENTIAL

Basically, the differential on a thermostat is the difference between the temperature at which the thermostat is set to turn off (or turn on), and the temperature that it switches back on again (or off).